



Evolution Fasteners (UK) Ltd
 Units 2A & 2B Clyde Gateway Trade Park
 Dalmarnock Road, Rutherglen, Glasgow G73 1AN
 Tel: +44 (0)141 647 7100 / Fax: +44 (0)141 647 5100
 Email: technical@evolutionfasteners.co.uk



PRODUCT DATASHEET

WIREHANGER

Product Details

<i>Designed for:</i>	Fixing cables/wires in suspended ceiling applications.
<i>Head style:</i>	Flat
<i>Size:</i>	M6 x 60.0mm
<i>Eye diameter:</i>	6.5mm
<i>Coating:</i>	Clear zinc passivated
<i>Shank material:</i>	Carbon steel
<i>Material grade:</i>	AISI C1022
<i>Drill diameter:</i>	6.0mm
<i>Pilot hole:</i>	6.0mm
<i>Min. drill depth:</i>	35.0mm
<i>Fire tested:</i>	Yes, to EN1364-1

Technical Data

Ultimate pull out values				
Diameter	Drill Point	Concrete Grade		
		C20/25	C30/35	C40/45
6.0mm	Flat	4.5kN	5.2kN	6.0kN

Ultimate Mechanical Performance		
Diameter	Tensile Strength	Shear Strength
6.0mm	14.0kN	11.4kN

Hardness rating (Vickers scale)		
Diameter	Surface hardness	Core hardness
6.0mm	350.0HV	250.0HV

NOTE: The results expressed in the datasheet are taken as mean loads from a range of empirical tests and are ultimate unfactored loads. Each specifier or end user should make his/ her own decision on what safety factors to use relevant to their design application (such as BS 5950, EN 1991, etc).
 Errors and Omissions Excepted.



ABOUT OUR TESTING



7485

All test results were derived from empirical testing performed by ETAS (Evolution Testing & Analytical Services), a UKAS (United Kingdom Accreditation Service) accredited testing laboratory (Accreditation No. 7485). The following tests were performed to the following standards.

Testing Procedures

Test/ Parameter	Standard/ Method/ Procedure
Ultimate Tensile	ISO 6892-1: 2009 "Metallic materials – tensile testing – Part 1: Method of test at room temperature".
Ultimate Shear	MIL-STD-1312-13 "Military Standard: Fastener test method (Method 13) Double shear test".
Pull Out (Withdrawal Force)	EN 14566: 2009 "Mechanical fasteners for gypsum plasterboard systems. Definitions, requirements and test methods".
Pull Over	EN 14592: 2008 "Timber structures. Dowel type fasteners. Requirements".
Hardness	ISO 650 7-1: 2005 "Metallic materials – Vickers hardness test – Part 1: Test method".
Corrosion Resistance	EN ISO 9227: 2012 "Corrosion tests in artificial atmospheres. Salt spray tests".
Drilling Time Test	EN 14566: 2009 "Mechanical fasteners for gypsum plasterboard systems. Definitions, requirements and test methods".

Laboratory Contact Details

Evolution Testing & Analytical Services
 Units 2A & 2B Clyde Gateway Trade Park
 Dalrnock Road
 Rutherglen
 South Lanarkshire
 G73 1AN
 T: (0141) 643 4125
 F: (0141) 647 5100
 E: sales@etasuk.com